

**COOPEX INSECT POWDER DP0,5 1X4KG BOT GB**

1/8

Version 4 / GB
102000002462

Revision Date: 20.07.2006

Print Date: 06.07.2007

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING**Product information**

Trade name COOPEX INSECT POWDER DP0,5 1X4KG BOT GB
Product code (UVP) 05937639
Usage insecticide
Company Bayer Environmental Science
230 Cambridge Science Park
Milton Road
Cambridge
Cambridgeshire CB4 0WB
Great Britain

Telephone +44(0)1223 226500
Telefax +44(0)1223 426240
Emergency telephone number 0800-220876 (UK 24 hr)
+44(0)1603-242424 (Overseas 24 hr)

2. COMPOSITION/INFORMATION ON INGREDIENTS**Chemical nature**

Dustable powder (DP)
Permethrin 0.5%

Hazardous components

Chemical Name	CAS-No. / EINECS-No.	Symbol(s)	R-phrases(s)	Concentration [%]
Permethrin	52645-53-1 258-067-9	Xn, N	R20/22, R43, R50/53	0.53
Diatomaceous earth	61790-53-2			> 5.00 - < 25.00
Talc	14807-96-6 238-877-9			> 25.00 - < 50.00

3. HAZARDS IDENTIFICATION**Risk advice to man and the environment**

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

4. FIRST AID MEASURES**General advice**

Remove contaminated clothing immediately and dispose of safely.

Inhalation

If symptoms persist, call a physician. Move to fresh air. Keep patient warm and at rest.

Skin contact

Take off contaminated clothing and shoes immediately. Wash off immediately with soap and plenty of water. After skin contact: Apply Vitamin E cream or a simple body milk. If symptoms



COOPEX INSECT POWDER DP0,5 1X4KG BOT GB

2/8

Version 4 / GB
102000002462

Revision Date: 20.07.2006
Print Date: 06.07.2007

persist, call a physician.

Eye contact

In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention if irritation develops and persists.

Ingestion

Obtain medical attention. Do not induce vomiting. Rinse mouth. Keep at rest.

Notes to Physician

Symptoms

Local: skin and eye paraesthesia which may be severe, The product causes irritation of eyes, skin and mucous membranes., Inhalation may provoke the following symptoms: irritation, cough

Symptoms

Systemic: excitement, gastrointestinal discomfort, tremors, dizziness, headache, apathy, nausea, vomiting, abdominal pain, muscular fasciculation, unconsciousness

Risks

This product contains a pyrethroid.
Must NOT be confused with organophosphorus compounds!

Treatment

Local treatment:
Initial treatment should be symptomatic and supportive.
After eye contact: Instillation of local anaesthetic drops e.g. 1% Amethocaine Hydrochloride eye drops. Give Analgesics as necessary.

Treatment

Systemic treatment:
Endotracheal intubation and gastric lavage, followed by administration of charcoal.
Monitoring of respiratory and cardiac functions.
ECG - monitoring (Electrocardiogram).
Check for pulmonary oedema in event of inhalation.
Keep airway clear, administer artificial respiration if necessary.
Against convulsions: give diazepam. For adults 5-10 mg intravenously as necessary until fully sedated; for children 2.5 mg i.v.
There is no specific antidote.
Contraindication: atropine.
Contraindication: derivatives of adrenaline.
Recovery: spontaneous.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Extinguishing media which must not be used for safety reasons

high volume water jet

Specific hazards during fire fighting

In case of fire the evolution of dangerous gases is possible.

Special protective equipment for fire-fighters

In the event of fire and/or explosion do not breathe fumes.
Wear self contained breathing apparatus for fire fighting if necessary.



COOPEX INSECT POWDER DP0,5 1X4KG BOT GB

3/8

Version 4 / GB
102000002462

Revision Date: 20.07.2006
Print Date: 06.07.2007

Further information

Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat.

Whenever possible, contain fire-fighting water by diking area with sand or earth.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Keep people away from and upwind of spill/leak.

Avoid dust formation.

Avoid contact with spilled product or contaminated surfaces.

When dealing with a spillage do not eat, drink or smoke.

Environmental Precautions

Do not discharge into the drains/surface water/groundwater.

If spillage enters drains leading to sewage works inform local water company immediately.

If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

Methods for Cleaning Up

Sweep up or preferably vacuum up spillage using equipment fitted with high efficiency final filter.

Keep in suitable, closed containers for disposal.

Clean floors and contaminated objects with plenty of water.

Additional Advice

Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

Check also for any local site procedures.

7. HANDLING AND STORAGE

Handling

Advice on safe handling

No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice.

Avoid dust formation.

Use only in area provided with appropriate exhaust ventilation.

Advice on protection against fire and explosion

During processing, dust may form explosive mixture in air.

Storage

Requirements for storage areas and containers

Keep container tightly closed in a dry and well-ventilated place.

Store in a place accessible by authorized persons only.

Keep away from heat.

Keep away from direct sunlight.

Protect against moisture.

Advice on common storage

Keep away from food, drink and animal feedingstuffs.

Storage stability

Other data

Storage temperature should ideally lie between 0 and 30 °C,



COOPEX INSECT POWDER DP0,5 1X4KG BOT GB

4/8

Version 4 / GB
102000002462

Revision Date: 20.07.2006
Print Date: 06.07.2007

however, storage for two weeks at 54 °C has shown no adverse effects regarding product safety or stability.

Suitable materials
Store in original container.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

Components with workplace control parameters

Components	CAS-No.	Control parameters	Update	Basis
Diatomaceous earth (Respirable dust.)	61790-53-2	1.2 mg/m3 (TWA)	2005	EH40 WEL
Talc (Respirable dust.)	14807-96-6	1 mg/m3 (TWA)	2005	EH40 WEL

Personal protective equipment

- Respiratory Protection Wear respirator conforming to EN149FFP1.
Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

- Hand Protection Wear CE Marked (or equivalent) nitrile rubber gloves (minimum thickness 0,40 mm). Wash when contaminated. Dispose of when contaminated inside, when perforated or when contamination outside cannot be removed. Wash hands always before eating, drinking, smoking or using the toilet.

- Eye protection Wear goggles conforming to EN166 (Field of Use 5 or equivalent).

- Skin and body protection Wear standard coverall and type 5 suit.
Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

- Hygiene measures
 When using, do not eat, drink or smoke.
 Remove soiled clothing immediately.
 Remove soaked protective clothing immediately.
 Clean hands and face at work intervals and after work.
 Work in an adequately ventilated room.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form powder

**COOPEX INSECT POWDER DP0,5 1X4KG BOT GB**

5/8

Version 4 / GB
102000002462

Revision Date: 20.07.2006

Print Date: 06.07.2007

Colour grey white

Safety dataBulk Density 630 kg/m³

Water Solubility insoluble

10. STABILITY AND REACTIVITY

Conditions to Avoid Extremes of temperature and direct sunlight.

Materials to avoid None.

Hazardous Reactions No hazardous reactions when stored and handled according to prescribed instructions.
Stable under normal conditions.

11. TOXICOLOGICAL INFORMATION

Acute Oral Toxicity LD₅₀ (rat) > 5,000 mg/kg
Test conducted with a similar formulation.

Acute Inhalation Toxicity LC₅₀ (rat) > 2,300 mg/l
Exposure time: 4 h
Test conducted with a similar formulation.

Acute Dermal Toxicity LD₅₀ (rabbit) > 10,000 mg/kg
Test conducted with a similar formulation.

Skin Irritation Slight irritant effect - does not require labelling. (rabbit)
Test conducted with a similar formulation.

Eye Irritation Slight irritant effect - does not require labelling. (rabbit)
Test conducted with a similar formulation.

Sensitization Non-sensitizing. (guinea pig)
Information given is based on data on the components and the toxicology of similar products.

Further information
Cutaneous sensations may occur, such as burning or stinging on the face and mucosae.
However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

12. ECOLOGICAL INFORMATION**Ecotoxicity effects**

Toxicity to Fish LC₅₀ (Guppy (Poecilia reticulata)) 0.0076 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient permethrin.

**COOPEX INSECT POWDER DP0,5 1X4KG BOT GB**

6/8

Version 4 / GB
102000002462

Revision Date: 20.07.2006

Print Date: 06.07.2007

Toxicity to daphnia	EC50 (Water flea (Daphnia magna)) 0.00017 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient permethrin.
Toxicity to algae	EC50 (Selenastrum capricornutum) 0.497 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient permethrin.

13. DISPOSAL CONSIDERATIONS**Product**

In accordance with current regulations may be taken to waste disposal site or incineration plant, after consultation with site operator and/or with the responsible authority.

Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).

Contaminated packaging

Empty remaining contents.

Dispose of empty and cleaned packaging safely.

Not completely emptied packagings should be disposed of as hazardous waste.

Waste key for the unused product

020108 agrochemical waste containing dangerous substances

14. TRANSPORT INFORMATION**ADR/RID/ADNR**

UN-No	3077
Labels	9
Packaging group	III
Hazard no.	90
Description of the goods	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (PERMETHRIN MIXTURE)

IMDG

UN-No	3077
Class	9
Packaging group	III
EmS	F-A , S-F
Marine pollutant	Marine pollutant
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (PERMETHRIN MIXTURE)

IATA

UN-No	3077
Class	9
Packaging group	III
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (PERMETHRIN MIXTURE)

UK 'Carriage' Regulations



COOPEX INSECT POWDER DP0,5 1X4KG BOT GB

7/8

Version 4 / GB
102000002462

Revision Date: 20.07.2006
Print Date: 06.07.2007

UN-No	3077
Labels	9
Packaging group	III
Hazard no.	90
Emergency action code	2Z
Description of the goods	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (PERMETHRIN MIXTURE)

15. REGULATORY INFORMATION

This product has been classified in accordance with The Chemicals (Hazard Information and Packaging for Supply) Regulations 2002: CHIP 3 and any subsequent amendments.

Classification:

Labelling according to EC Directives

Hazardous components which must be listed on the label:

- Permethrin

Symbol(s)

N Dangerous for the environment

R-phrase(s)

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S-phrase(s)

S35 This material and its container must be disposed of in a safe way.
S57 Use appropriate container to avoid environmental contamination.

Exceptional labelling

To avoid risks to man and the environment, comply with the instructions for use.
Contains permethrin. May produce an allergic reaction.

Further information

WHO-classification: III (Slightly hazardous)

16. OTHER INFORMATION

Further information

Text of R phrases mentioned in Section 2:

R20/22	Harmful by inhalation and if swallowed.
R43	May cause sensitization by skin contact.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be



COOPEX INSECT POWDER DP0,5 1X4KG BOT GB

8/8

Version 4 / GB
102000002462

Revision Date: 20.07.2006
Print Date: 06.07.2007

updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.