















Registration number – BPR : UK 2014-0860	Appearance – Blue tinted foam applied via aerosol can		
Describe the activity or work process. <i>(Inc. how long/ how often this is carried out and quantity substance used)</i>	Anticoagulant contact rodenticide for the control of rats and house mice. To be applied to known sites of rodent activity as per label instructions, between 4g - 30g as per species. Professional use only Applied in a manner not to contaminate foodstuffs. To be applied in a manner which allows safe removal at the conclusion of the treatment. A site specific risk assessment MUST be carried out before using this product		
Location of process being carried out?	Indoor use at least 2m from food storage locations		
Identify the persons at risk:	Employees <input checked="" type="checkbox"/>	Sub-contractors <input type="checkbox"/>	Public <input checked="" type="checkbox"/>
Name the substance involved including active ingredient, in the process and its manufacturer	"Racumin Foam" Bayer Containing Coumatetralyl (0.4%)		

Classification (state the category of danger)

	<input checked="" type="checkbox"/>	Long term health affects		<input type="checkbox"/>	Irritant - dermatitis causing		<input checked="" type="checkbox"/>	Extremely Flammable
	<input type="checkbox"/>	Toxic		<input type="checkbox"/>	Sensitising		<input type="checkbox"/>	Highly Flammable
	<input type="checkbox"/>	Corrosive		<input type="checkbox"/>	Biological		<input type="checkbox"/>	Flammable
	<input checked="" type="checkbox"/>	Harmful – eye irritation		<input type="checkbox"/>	Oxidising		<input checked="" type="checkbox"/>	Environmental

Hazard Type

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Gas	Vapour	Mist	Fume	Dust	Liquid	Solid	Other (State) FOAM

Route of Exposure

<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Inhalation	Skin	Eyes	Ingestion	Other (State).....

Workplace Exposure Limits (WELs) please indicate n/a where not applicable

n/a	Short-term exposure level (15 mins): N/A
-----	--

State the Risks to Health from Identified Hazards

EC Classification: H222 Extremely flammable aerosol. H360D May damage the unborn child. H373 May cause damage to organs (Blood) through prolonged or repeated exposure. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects.

Control Measures:

Consider non-toxic options before use
Always read label / MSDS before use and comply with details.
Remove non-target organisms / People during application. Areas treated to be marked as per label instruction
To be used by trained operative (professional) only. **A site specific risk assessment MUST be carried out before using this product**
Keep in original, labelled container.
Remain in control of substance at all times. Storage to be restricted to certified store, out of storage use to be confined to regulated vehicle.
Where risk of interception by 3rd party warning labels to be used to denote use and risk
Records to be kept on usage and location in pest control master file.

Operator to wear suitable PPE when handling and applying As detailed below. Records of PPE maintenance to be held centrally. Waste product to be retained and disposed of by Pest Control operator as per EA guidelines.









Safety Phrases:

- S1 Keep locked up. S2 Keep out of the reach of children
- S7 Keep container tightly closed
- S13 Keep away from food, drink and animal feeding stuffs
- S20/21 When using do not eat, drink or smoke
- S/36/37 Wear suitable protective clothing and gloves
- S44 If you feel unwell, seek medical advice (show the label where possible)
- S49/ S35 Keep in original container and dispose of in a safe way
- S57 Use appropriate container to avoid environmental contamination
- S60 This material and its container must be disposed of as hazardous waste unless empty, clean containers which can be disposed of as non-hazardous waste
- S61 Avoid release to the environment. Refer to special instructions / safety data sheets
- S62 If swallowed, do not induce vomiting : seek medical advice immediately and show the label or container
- P103 – Read label before use
- P10 – keep away from heat, hot surfaces, sparks, open flames and other ignition sources
- P211 – Do not spray on an open flame or other ignition source
- P251 – Do not pierce or burn, even after use

Is health surveillance or monitoring required?

Yes No

Personal Protective Equipment (state type and standard)

 <input type="checkbox"/>	Dust mask	 <input checked="" type="checkbox"/>	Visor
 <input type="checkbox"/>	Respirator	 <input checked="" type="checkbox"/>	To EN166
 <input checked="" type="checkbox"/>	Disposable gloves	 <input type="checkbox"/>	Cat 3 Type 6 coveralls
 <input checked="" type="checkbox"/>	Steel toe cap boots to be worn as per company dress code.	 <input type="checkbox"/>	Other

First Aid Measures

Inhalation: Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately

Skin: Wash off thoroughly with plenty of soap and water, if available with polyethylene glycol 400, subsequently rinse with water. Take off contaminated clothing and shoes immediately. Call a physician or poison control center immediately.

Eyes: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses if present, after the first 5 mins then continue rinsing the eye. Warm water may increase the subjective severity of the inflation. This is not a sign of systemic poisoning. Get medical attention if irritation develops and persists.

Ingestion: Rinse mouth. Induce vomiting only, if: 1. patient is fully conscious, 2. medical aid is not readily available, 3. a significant amount (more than a mouthful) has been ingested and 4. time since ingestion is less than 1 hour. (Vomit should not get into the respiratory tract.) Call a physician or poison control center immediately.

Antidote is vitimin K1 adminstered by a vetinarian or medical professional

Storage / Spillage

Storage: Keep in original labelled container in designated, controlled pesticide store, out of reach of children and protected from elements. Keep container tightly closed in a dry cool and well-ventilated place. Avoid temperatures above 50°C

Spillage – Clean spillages immediately. Avoid entry to watercourses

Disposal of Substances & Contaminated Containers

Hazardous Waste Skip Return to Depot Return to Supplier Other
 (If Other Please State): Cleaned container can be treated as non-hazardous

Is exposure adequately controlled?

Yes No

Risk Rating Following Control Measures

High Medium Low

Assessed by: Brian Duffin Date: 16/1/2021 Review Date: January 2022