



FICAM W

Version 9 / GB
102000002338

1/12

Revision Date: 21.04.2016
Print Date: 23.04.2016

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name FICAM W
Product code (UVP) 05935598

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer Environmental Science
230 Cambridge Science Park
Milton Road
Cambridge
Cambridgeshire CB4 0WB
United Kingdom

Telephone 00800-1214 9451
Telefax +44(0)1223 426240
Responsible Department Email: ukinfo@bayercropscience.com

1.4 Emergency telephone no.

Emergency telephone no. 0800-220876 (UK 24 hr)
+44(0)1635-563000 (Overseas 24 hr)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Acute toxicity: Category 2
H300 Fatal if swallowed.

Acute toxicity: Category 2
H330 Fatal if inhaled.

Acute aquatic toxicity: Category 1
H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1
H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Bendiocarb

**FICAM W**Version 9 / GB
10200002338

2/12

Revision Date: 21.04.2016

Print Date: 23.04.2016

**Signal word:** Danger**Hazard statements**

H300 Fatal if swallowed.
 H330 Fatal if inhaled.
 H410 Very toxic to aquatic life with long lasting effects.
 EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor/ physician.
 P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

2.3 Other hazards

Dust may form explosive mixture in air.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.2 Mixtures****Chemical nature**Wettable powder (WP)
Bendiocarb 80 % w/w**Hazardous components**

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		Regulation (EC) No 1272/2008	
Bendiocarb	22781-23-3 245-216-8	Acute Tox. 3, H331 Acute Tox. 3, H301 Acute Tox. 3, H311 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	80.00
Naphthalenesulfonic acid, butyl-, Me derivs, sodium salts	68909-83-1 272-716-3	Eye Irrit. 2, H319	> 1.00 – < 5.00
Naphthalene and alkyl naphthalene sulphonic acids formaldehyde condensate, sodium salt	68425-94-5	Skin Irrit. 2, H315 Eye Irrit. 2, H319	> 1.00 – < 5.00
Silica, amorphe	7631-86-9 231-545-4 01-2119379499-16-XXXX	Not classified	> 1.00



FICAM W

Version 9 / GB
102000002338

3/12

Revision Date: 21.04.2016
Print Date: 23.04.2016

Further information

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
Inhalation	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
Skin contact	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Induce vomiting only, if: 1. patient is fully conscious, 2. medical aid is not readily available, 3. a significant amount (more than a mouthful) has been ingested and 4. time since ingestion is less than 1 hour. (Vomit should not get into the respiratory tract.)

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	Local:, The product causes irritation of eyes, skin and mucous membranes. Systemic:, Bradycardia, sweating, Convulsions, Nausea, Lachrymation, Salivation, Vomiting, Diarrhoea, Miosis, Hypotension, Bronchial hypersecretion, Myoclonus, Respiratory paralysis, Somnolence, Coma, Respiratory failure, Hypothermia, Fibrillation, Spasm
-----------------	---

4.3 Indication of any immediate medical attention and special treatment needed

Risks	This product is a cholinesterase inhibitor carbamate.
Treatment	Systemic treatment: Initial treatment: symptomatic. In case of ingestion a gastric lavage within the first hour after ingestion and after intubation only with consecutive application of activated charcoal and sodium sulphate should be performed. In case of convulsions, a benzodiazepine (e.g. diazepam) should be given according to standard regimens. Keep respiratory tract clear. Oxygen or artificial respiration if needed. The following antidotes are generally accepted: atropin and oximes. Recovery is spontaneous and without sequelae.



FICAM W

Version 9 / GB
102000002338

4/12

Revision Date: 21.04.2016
Print Date: 23.04.2016

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable High volume water jet

5.2 Special hazards arising from the substance or mixture Dangerous gases are evolved in the event of a fire., In common with all other methyl carbamates, bendiocarb will liberate strongly lachrymatory and very toxic methyl isocyanate when heated above its decomposition temperature which for bendiocarb is > 125 deg C. Methyl isocyanate has a very low flash point and will be readily consumed in a fire. Since methyl isocyanate readily decomposes in contact with water, all decompositions are best extinguished with water.

5.3 Advice for firefighters

Special protective equipment for firefighters In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

Further information Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid dust formation. Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment. Remove all sources of ignition.

6.2 Environmental precautions Do not allow to get into surface water, drains and ground water. If spillage enters drains leading to sewage works inform local water company immediately. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Sweep up or vacuum up spillage and collect in suitable container for disposal. Collect and transfer the product into a properly labelled and tightly closed container. Clean floors and contaminated objects with plenty of water.

Additional advice Check also for any local site procedures.

6.4 Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

**FICAM W**Version 9 / GB
102000002338

5/12

Revision Date: 21.04.2016

Print Date: 23.04.2016

SECTION 7: HANDLING AND STORAGE**7.1 Precautions for safe handling**

Advice on safe handling	Avoid dust formation. Use only in area provided with appropriate exhaust ventilation.
Advice on protection against fire and explosion	Dust may form explosive mixture in air. Take measures to prevent the build up of electrostatic charge. Keep away from heat and sources of ignition.
Hygiene measures	When using, do not eat, drink or smoke. Remove soiled clothing immediately and clean thoroughly before using again. Contaminated work clothing should not be allowed out of the workplace. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics. Wash hands immediately after work, if necessary take a shower.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	Store in a place accessible by authorized persons only. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from direct sunlight. Protect from freezing. Store in a place accessible by authorized persons only. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from direct sunlight. Protect from freezing. Store in original container.
Advice on common storage	Keep away from food, drink and animal feedingstuffs.
Suitable materials	Polyethylene film within an outer package
7.3 Specific end use(s)	Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1 Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Bendiocarb	22781-23-3	0.2 mg/m ³ (TWA)		OES BCS*
Silica, amorphe (Inhalable dust.)	7631-86-9	6 mg/m ³ (TWA)	12 2011	EH40 WEL
Silica, amorphe (Respirable dust.)	7631-86-9	2.4 mg/m ³ (TWA)	12 2011	EH40 WEL

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

8.2 Exposure controls

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection Wear a compressed air respirator (continuous flow) conforming to



FICAM W

Version 9 / GB
102000002338

6/12

Revision Date: 21.04.2016
Print Date: 23.04.2016

European Norm EN14594 or EN14593-1 or equivalent or a particle filter mask (protection factor 40) conforming to EN136P3 or equivalent.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0.4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN 374.

Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection

Wear standard coveralls and Category 3 Type 5 suit. If there is a risk of significant exposure, consider a higher protective type suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form	powder
Colour	beige
Odour	weak, characteristic
pH	4.5 - 7.5 at 1 % (23 °C) (deionized water)
Minimum ignition energy	< 3 mJ (23 °C)
Lower explosion limit	30 g/m ³
Bulk density	ca. 0.25 g/ml (loose)
Water solubility	miscible
Partition coefficient: n-octanol/water	Bendiocarb: log Pow: 1.7 at 25 °C

9.2 Other information

Further safety related physical-chemical data are not known.



FICAM W

Version 9 / GB
102000002338

7/12

Revision Date: 21.04.2016
Print Date: 23.04.2016

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Thermal decomposition from 150 °C, Heating rate: 3 K/min, Decomposition energy: 450 KJ/kg
Exothermic decomposition.
from 120 °C, Heating rate: 0.05 K/min
Exothermic decomposition.

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions No hazardous reactions when stored and handled according to prescribed instructions.

10.4 Conditions to avoid Extremes of temperature and direct sunlight.

10.5 Incompatible materials Store only in the original container.

10.6 Hazardous decomposition products No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity LD50 (Rat) 50 mg/kg

Acute inhalation toxicity LC50 (Rat) 0.313 mg/l
Exposure time: 6 h

Acute dermal toxicity LD50 (Rat) > 2,000 mg/kg

Skin irritation No skin irritation (Rabbit)

Eye irritation No eye irritation (Rabbit)

Sensitisation Non-sensitizing. (Guinea pig)
OECD Test Guideline 406, Magnusson & Kligman test

Assessment repeated dose toxicity

Bendiocarb caused reversible cholinesterase inhibition without long term effects in animal studies.

Assessment mutagenicity

Bendiocarb was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Bendiocarb was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

Bendiocarb did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Bendiocarb did not cause developmental toxicity in rats and rabbits.



FICAM W

Version 9 / GB
102000002338

8/12

Revision Date: 21.04.2016
Print Date: 23.04.2016

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish LC50 (Cyprinodon variegatus (sheepshead minnow)) 0.86 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient bendiocarb.

Toxicity to aquatic invertebrates EC50 (Daphnia magna (Water flea)) 0.0377 mg/l
Exposure time: 48 h
The value mentioned relates to the active ingredient bendiocarb.

Toxicity to aquatic plants EC50 (Raphidocelis subcapitata (freshwater green alga)) 0.408 mg/l
Exposure time: 48 h
The value mentioned relates to the active ingredient bendiocarb.

12.2 Persistence and degradability

Biodegradability Bendiocarb:
Not rapidly biodegradable

Koc Bendiocarb: Koc: 33

12.3 Bioaccumulative potential

Bioaccumulation Bendiocarb: Bioconcentration factor (BCF) 6.0
Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Bendiocarb: Mobile in soils

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment Bendiocarb: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

12.6 Other adverse effects

Additional ecological information No other effects to be mentioned.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant. Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).

Contaminated packaging Small containers (< 10 l or < 10 kg) should be rinsed thoroughly using an integrated pressure rinsing device, or, by manually rinsing three times.
Add washings to sprayer at time of filling.



FICAM W

Version 9 / GB
102000002338

9/12

Revision Date: 21.04.2016
Print Date: 23.04.2016

Dispose of empty and cleaned packaging safely.
Large containers (> 25 l or > 25 kg) should not be rinsed or re-used for any other purpose.
Return large containers to supplier.
Follow advice on product label and/or leaflet.

Waste key for the unused product **02 01 08*** agrochemical waste containing dangerous substances

SECTION 14: TRANSPORT INFORMATION

ADR/RID/ADN

14.1 UN number	2757
14.2 Proper shipping name	CARBAMATE PESTICIDE, SOLID, TOXIC (BENDIOCARB MIXTURE)
14.3 Transport hazard class(es)	6.1
14.4 Packing group	II
14.5 Environm. Hazardous Mark	YES
Hazard no.	60
Tunnel Code	D/E

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

14.1 UN number	2757
14.2 Proper shipping name	CARBAMATE PESTICIDE, SOLID, TOXIC (BENDIOCARB MIXTURE)
14.3 Transport hazard class(es)	6.1
14.4 Packing group	II
14.5 Marine pollutant	YES

IATA

14.1 UN number	2757
14.2 Proper shipping name	CARBAMATE PESTICIDE, SOLID, TOXIC (BENDIOCARB MIXTURE)
14.3 Transport hazard class(es)	6.1
14.4 Packing group	II
14.5 Environm. Hazardous Mark	NO

UK 'Carriage' Regulations

14.1 UN number	2757
14.2 Proper shipping name	CARBAMATE PESTICIDE, SOLID, TOXIC (BENDIOCARB MIXTURE)
14.3 Transport hazard class(es)	6.1
14.4 Packing group	II
14.5 Environm. Hazardous Mark	YES
Emergency action code	2X

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code



FICAM W

Version 9 / GB
102000002338

10/12

Revision Date: 21.04.2016
Print Date: 23.04.2016

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

UK and Northern Ireland Regulatory References

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

Transport

Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No 1348)
Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997 (SI 1997 No 2367)
Air Navigation Dangerous Goods Regulations 2002 (SI 2002 No 2786)

Supply and Use

Chemical (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No 716)
Chemical (Hazard Information and Packaging for Supply) (Northern Ireland) Regulations 2009
Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No 2677)
EH40 Occupational Exposure Limits - Table 1 List of approved workplace exposure limits
Control of Pesticide Regulations 1986
Dangerous Substances and Explosive Atmospheres Regulations 2002

Waste Treatment

Environmental Protection Act 1990, Part II
Environmental Protection (Duty of Care) Regulations 1991
The Waste Management Licensing Regulations 1994 (as amended)
Hazardous Waste Regulations 2005 (Replacing Special Waste Regulations 1996 as amended)
Landfill Directive
Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)
Water Resources Act 1991
Anti-Pollution Works Regulations 1999

Further information

WHO-classification: II (Moderately hazardous)

15.2 Chemical Safety Assessment

A chemical safety assessment is not required.

SECTION 16: OTHER INFORMATION

Text of the hazard statements mentioned in Section 3

H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.

**FICAM W**Version 9 / GB
10200002338

11/12

Revision Date: 21.04.2016

Print Date: 23.04.2016

H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate (ATE)
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EH40 WEL	Worker Exposure Limit
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SI	Statutory Instrument
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.

Reason for Revision: Safety Data Sheet according to Regulation (EU) No. 2015/830. The following sections have been revised: Section 3: Composition / Information on Ingredients. Section 7: Handling and Storage. Section 9: Physical and Chemical Properties.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006



FICAM W

Version 9 / GB
102000002338

12/12

Revision Date: 21.04.2016

Print Date: 23.04.2016

Changes since the last version are highlighted in the margin. This version replaces all previous versions.